

(Unofficial)

**Notification of Ministry of Public Health**

**Re: Coffee (No. 3)**

---

It deems appropriate to amend the notification of the Ministry of Public Health, Re: Coffee concerning more appropriate requirements for yeast and mold.

By the virtue of provisions of Section 5 in the first phrase, and 6 (3) and (9) of the Food Act B.E. 2522 (1979), in which contain provisions in relation to the restriction of Rights and Liberties of the Persons, in respect of which Section 29 and in conjunction with Section 33, Section 41, Section 43 and Section 45 of the constitution of the Kingdom of Thailand so permit by virtue of provisions of law; the Minister of Public Health hereby issues the notification as follows:

Clause 1. Text in (7) of Clause 10 of the Notification of the Ministry of Public Health (No.197) B.E. 2543 (2000), Re: Coffee, dated 19<sup>th</sup> September B.E. 2543 (2000) shall be repealed and replaced with the following text:

“(7) Detected yeast and mold shall be as follows:

(7.1) less than 1 in 1 milliliter of coffee in paragraph 2 of Clause 3 which pass through sterilization or UHT

(7.2) less than 100 in 1 milliliter of coffee in paragraph 2 of Clause 3 which pass through processes other than sterilization or UHT

Use updated version of Bacteriological Analytical Manual (BAM) Online U.S. Food and Drug Administration or equivalent method as Method of analysis of such yeast and mold”.

Clause 2. Text in (2) of Clause 11 of the Notification of the Ministry of Public Health (No.197) B.E. 2543 (2000), Re: Coffee, dated 19<sup>th</sup> September B.E. 2543 (2000) shall be repealed and replaced with the following text:

“(2) When dilute or mix with water according to direction on label, quality or standards shall be as specify in Clause 10 (1) (2) (3) (4) (5) (6) (8) and (9)”

Clause 3. The following text shall be stated as (3) of Clause 11 of the Notification of the Ministry of Public Health (No.197) B.E. 2543 (2000), Re: Coffee, dated 19<sup>th</sup> September B.E. 2543 (2000)

“(3) Detected yeast and mold shall be less than 100 in 1 gram of coffee

Use updated version of Bacteriological Analytical Manual (BAM) Online U.S. Food and Drug Administration or equivalent method as Method of analysis of such yeast and mold”.

Clause 4. This notification shall come into force as from the day following date of its publication in the Government Gazette.

Notified on 3<sup>rd</sup> March 2011

(Signed) Jurin Laksanawisit  
(Mr. Jurin Laksanawisit)

Minister of Public Health

(Published in the Government Gazette Vol. 128, Special Part 41 Ngor, dated 7<sup>th</sup> April 2011.)

**Note:** This English version of the notification is translated to meet the need of the non-Thai speaking people. In case of any discrepancy between the Thai original and the English translation, the former will take priority.